

7-#4 e(E) bars

-1-#8 e₁(E) bar, front face

Parapet similar)

- 1- #4 e(E) bar, back face

<u>VIEW E-E</u>

(Mainline Parapet shown, Ramp

Exist. Bridge

Deck parapet

DESIGNED

CHECKED

CHECKED

JLS/MFB

KWS

KWS

See Detail 2, typ.

7-#4 e2(E) bars

└_1-#8 e3(E) bar, front face

└ 1- #4 e2(E) bar, back face

<u>VIEW G-G</u>

30'-0"

33-#5 d(E) bars at 11" cts.

BILL OF MATERIAL

BAR	NO.	SIZE	LENGTH	SHAPE		
a(E)	100	#4	25'-6"			
al(E)	184	#5	25′-6"			
a2(E)	6	#5	4'-0"			
a3(E)	82	#6	6'-0"			
a4(E)	100	#4	15′-9"			
a5(E)	a5(E) 184		15′-9"			
b(E)	116	#4	29'-8"	•		
bKE)	267	#9	29′-9"			
b2(E) 2 #4			19'-2"			
d(E)	110	#5	5′-7"	ß		
dl(E)	110	#5	7'- 11"			
e(E)	16	#4	. 19'-2"			
e1(E)	2	#8	19'-2"			
e2(E)	16	#4	29'-8"			
e3(E)	2	#8	29'-8"			
t(E)	232	#4	13′-5"	***************************************		
†1(E)	8	#5	4'-0"			
w(E)	160	#5	25′-9"			
w1(E)	160	#5	21'-3"			
ITEM			UNIT	TOTAL		
Approach Slab Removal			Sq. Yd.	706		
Concrete Barrier Removal			Foot	99.5		
Concrete	Superstruct	ure	Cu. Yd.	176.5		
Concrete	Structures	· · · · · · · · · · · · · · · · · · ·	Cu. Yd.	48.7		
Bridge De	ck Grooving	7	Sq. Yd.	352		
Protective	Coat		Sq. Yd.	403		
Reinforce Epoxy Cod	ment Bars, ated		Pound	53,060		

- 1. a(E), a1(E), a4(E) and a5(E) bar spacings measured parallel to € Roadway. b(E) and b1(E) bars spacings measured perpendicular to @ Roadway. w(E) and w1(E) bars measured parallel to Exp.Jt.
- 2. For existing approach slab and shoulder pavement details, see existing plans.
- 3. Existing reinforcement bars extending into the concrete removal area shall be blast-cleaned, straightened and incorporated into the new construction. Any reinforcement bars that are damaged during approach slab removal shall be repaired or replaced with an approved bar splicer or anchorage system. Cost included with Approach Slab Removal,
- 4. Approach slab and parapet concrete shall be paid for as Concrete Superstructure.
- 5. Approach footing concrete shall be paid for as Concrete Structures.
- 6. Reinforcement shall be paid for as Reinforcement Bars, Epoxy Coated.
- 7. The approach footing maximum applied service bearing pressure (Qmax) = 2.0 ksf.
- 8. For bar splicer details, see Bar Splicers Assembly Details sheet.
- 9. Cost of excavation for approach footing included with Concrete Structures.
- 10. For Expanded Polystyrene Fill and drainage treatment details, see

- 11. The Contractor shall ecercise extreme care with the existing conduits in sections of the parapet to be removed and shall protect and support the conduit. The Contractor will be required to repair any damage done to the condult to the satisfaction of the Engineer. No splicing will be allowed to any cable damage resulting from this work, instead the Contractor will be required to repair the entire span of any damaged cable at no additional cost to the Department.
- 12. Minimum bar lap: #4 bar = 1'-8" #5 bar = 2'-2"
- 13. Bars indicated thus 8x2-#5 etc. indicates 8 lines of bars with 2 lengths per line
- Cut w(E), w1(E) and t(E) bars in field to fit in the vicinity of the approach footing boxout around the existing concrete barrier wall.
- 15. Work this sheet with North Bridge Approach Slab Details (1 of 3) and (2 of 3)

NORTH BRIDGE APPROACH SLAB DETAILS (3 OF 3) STRUCTURE NO. 022-0138

SHEET NO. 11	F.A.I. RTE.	SECTION			COUNTY	TOTAL SHEETS	SHEET NO.	
	290 355	22(1, 1-1,	2&3)RS-	7	DUPAGE	546	386	
38 SHEETS					CONTRACT	NO. 60	G51	
	FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT							

-Exist. Barrier wall — See Detail 2, tvp.

benesch Engineers · Surveyors · Planners 205 North Michigan Avenue, Surte 2400 Chicago, Illinois 6001 Job No. 10050 312-865-0450 Job No. 10050

alfred benesch & company